

**GOVERNMENT OF ANDHRA PRADESH**

**ABSTRACT**

Public Services – Municipal Administration & Urban Development Department – Sri G.Srinivasa Rao, Tap Inspector (Retired) Guntur Municipal Corporation – Departmental proceedings under Rule-20 of APCS (CC&A) Rules, 1991- with drawn from the Enquiry – Further action dropped – Orders – Issued.

**MUNICIPAL ADMINISTRATION AND URBAN DEVELOPMENT (E1) DEPARTMENT**

**G.O.Rt.No. 454**

**Dated.23-03-2009.**

**Read the following**

- 1) From the GA(V&E) Dept., U.O.Note.No.753/V&E/D1/96, dt.11.05.1997
- 2) G.O.Rt.No.1327, MA & UD (E1) dept., dt.26.11.2004
- 3) G.O.Rt.No.1466, MA & UD (E1) Dept., dt.27.12.2006
- 4) From Sri G.Srinivasa Rao, Tap Inspector (Retired)  
Guntur Municipal Corporation, representation dt.16.02.2009.

<<>>o0o<<>>

**ORDER:**

It is reported that Investigating Agency has reported that they have enquired into the various allegations in procuring and applying admixtures such as stable bleaching powder, alum and Chlorine gas and also conducted surprise inspection on the Offices, Stores, Water treatment plants and also irregularities in purchase of stable bleaching powder in Guntur Municipal Corporation and submitted a report to Government.

2. In the reference 2nd read above, Government have framed charges against Sri G.Srinivasa Rao Tap Inspector (Retired) Guntur Municipal Corporation, along with others. Accordingly he has submitted his written statement of defense along with others.

3. Government after examination not satisfied with the statements of defense of Sri G.Srinivasa Rao Tap Inspector (Retired) and others Sri Janak Raj, IPS (Retired) COI was appointed as Inquiry Authority to enquire into the charges against Sri G.Srinivasa Rao, Tap Inspector (Retired) and others of Guntur Municipal Corporation.

4. In the reference 4th read above, Sri G. Srinivasa Rao, Tap Inspector (Retired) Guntur Municipal Corporation has submitted his representation stating that his name was not shown in the statement officers held responsible by the V&E Department in Annexure-II. Unfortunately the Engineer-in-Chief (PH) has furnished charges and Government have framed to all the officers including Sri G.Srinivasa Rao, Tap Inspector (Retired) though his name is not in the list and who figured in long standing list only.

5. Government after careful examination of the matter have decided to drop further action against Sri G.Srinivasa Rao, Tap Inspector (Retired) Guntur Municipal Corporation. Accordingly Government hereby drop further action against him.

6. The Engineer-in-Chief (PH), Hyderabad shall take further necessary action accordingly.

**( BY ORDER AND IN THE NAME OF THE GOVERNOR OF ANDHRA PRADESH)**

**Dr.C.V.S.K.SARMA**

**PRINCIPAL SECRETARY TO GOVERNMENT**

To

Sri G.Srinivasa Rao, Tap Inspector (Retired),  
Guntur Municipal Corporation, (through the ENC(PH), Hyderabad)

**Copy to:**

- 1) Sri Janak Raj, IPS (Retired) COI, GAD,
- 2) The Engineer-in-Chief (PH), Hyderabad
- 3) Secretary, APVC
- 4) General Administration (V&E) Department
- 5) MA & UD (C) Department  
SF/SC.

//FORWARDED BY ORDER//

**SECTION OFFICER**